

Republic of the Philippines Province of Pangasinan

MUNICIPALITY OF BAYAMBANG

REQUEST FOR QUOTATION

Business Name:	Date:
Business Address:	

Please quote your *lowest price* on the items / listed below and submit your quotation duly signed by you or your representative not later than <u>3 DAYS</u> in the return envelope attached herewith, and sealed.

General Conditions:

- 1. Prices shall be inclusive of vat
- 2. Price validity shall be for a period of 60 calendar days
- 4. PHILGEPS Registration Certificate
- 5. DTI Registration and BIR Registration
- 6. Business Permit

After having carefully read and accepted the General Conditions, I/we submit our quotation/s for the item/s as follows:

		DESCRIPTION	Approved Budget for the Contract (TOTAL)	OFFER					
UNIT	QTY			PRICE				plianc with nical afficati (Pls.	Remarks/Brand
				QTY	Unit Price	Total Price	Yes	No	
PAIRS	24	STANDARD WELDING GLOVES (LEATHER)							
pog		MATERIAL: COWHIDE LENGTH: APPROX. 350MM FEATURE: FULL LEATHER GLOVES FROM COW SPLIT LEATHER, WITH COTTON LINING AND COVERED SEAMS. HEAT RESISTANT, WEAR RESISTANT.							
PCS	16	STANDARD WELDING APRON MAONG W/ SLEEVES -SUPERIOR PROTECTION HEAVY DUTY -ADJUSTABLE HARNESS SYSTEM FOR PROPER							

PCS 8 STANDARD SIZE PCS 8 STANDARD SIZE PTT STANDARD SAFETY SHOES WILLD PACE SHIELD PACE SHIELD PTARNSSPARENT PALE SIZE 9.4 - PAIRS SIZE 7.4 - PAIRS SIZE 7.4 - PAIRS SIZE 10.1 - PAIR SIZE 10.1 - PAIR SIZE 10.1 - PAIR SIDES INSULATED SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PHERCING SAFETY SHOES, CIL- PROOF SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, & OTHER SPECIAL SHOES WATERROOF SHOES & OTHER SPECIAL SHOES WATERROOF SHOES & OTHER SPECIAL SHOES PCS 8 STANDARD FACE MASKRIALF MASK DUAL CARTRIDGE (CASE QUANTITY: 2-4 CONFINED SPACE VES -FACEPHECE TYPE: HALF FACEPHECE TRUES BILE -FEATURES, DUAL AIRLINE SUPPLIED AIR COMMATIBLE -HARNISS TYPE: 4 POINT MATERIAL HERMOPLASTIC BLASTOMER (TPE)						•	•	
DESIGNED TO PROTECT CLOTHING AND SKIN			FIT AND					
PCS 8 STANDARD HARD HAT WEAK SHIELD (3M H-700) DIMENSION: 27cmX 22cm A 15cm FTT: STANDARD SIZE: FTS FROM 6 40" TO 8" FACE SHIELD: 2-2-4cm x 24cm WEIGHT: 280g SHIELD THIKNESS: 2-mm FACE SHIELD: 1-2-4cm x 24cm WEIGHT: 280g SHIELD THIKNESS: 2-mm FACE SHIELD: 1-7cm STANDARD SAFETY SHORE WETEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 10: 1 - PAIR SHOES, MSILATED SHOES, AND ANTH FRENCH SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PERCING SAFETY SHOES, ACID-PROOP SHOES, OIL PROOP SHOES, AND ANTI PIRECTNG SHOES, COLD-PROOP SHOES, AND ANTI PIRECTNG SHOES, COLD-PROOP SHOES, WATERPROFF SHOES & WATERPROFF SHOES & WATERPROFF SHOES & WATERPROFF SHOES & COLD-PROOP SHOES, WATERPROFF SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & CO			DISPLACEMENT					
PCS 8 STANDARD HARD HAT WEAK SHIELD (3M H-700) DIMENSION: 27cmX 22cm A 15cm FTT: STANDARD SIZE: FTS FROM 6 40" TO 8" FACE SHIELD: 2-2-4cm x 24cm WEIGHT: 280g SHIELD THIKNESS: 2-mm FACE SHIELD: 1-2-4cm x 24cm WEIGHT: 280g SHIELD THIKNESS: 2-mm FACE SHIELD: 1-7cm STANDARD SAFETY SHORE WETEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 10: 1 - PAIR SHOES, MSILATED SHOES, AND ANTH FRENCH SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PERCING SAFETY SHOES, ACID-PROOP SHOES, OIL PROOP SHOES, AND ANTI PIRECTNG SHOES, COLD-PROOP SHOES, AND ANTI PIRECTNG SHOES, COLD-PROOP SHOES, WATERPROFF SHOES & WATERPROFF SHOES & WATERPROFF SHOES & WATERPROFF SHOES & COLD-PROOP SHOES, WATERPROFF SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & COLD-PROOP SHOES & WATERPROFF SHOES & COLD-PROOP SHOES & CO			-DESIGNED TO PROTECT					
PCS 8 STANDARD HATD ***DIMENSION: 27cmX** **DIMENSION: 27cmX** **2cm x 15cm FTT: \$TANDARD SIZE, SIMIBLD THINKNESS: 2-mm **FACE SITIELD:								
PCS 8 STANDARD HAIT WIFE ACT SHIELD (3M II. 700) DIMENSION: 27cmX 22cm x 15cm FIT: STANDARD SIZE, HIS FROM 0'2" TO 8" FACE SHIELD: -24cm x 24cm WEIGHT: 280g SHELD THIKNESS: -2mm FACE SHIELD: -2mm FACE SHIELD: -2mm FACE SHIELD: -2mm FACE SHIELD: -3mm FACE SHORE WIFE FIT SHOPS WATERPROF SHOPS WATERPR								
Wi FACE SHIELD (3M H-700)	PCS	8						
DIMENSION: 27cmX 22cm x 15cm FIT: STANDARD SIZE. FITS FROM 6 % TO 8 " FACE SHIELD: 24cm x 24cm WEIGHT: 280g SHELD THINNESS: 2-mm FACE SHIELD: -TRANSPARENT PAIRS 9 STANDARD SAFETY SHOFS WYSTEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR SHOES, ANTI SHASHING SHOES, ANTI SHASHING SHOES, ANTI FIRECING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, ONL- SLIP SHOES, AND ANTI PERCING SHOES, COLD- PROOF SHOES, NON- SLIP SHOES, AND ANTI PERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASKIFILE MASK DUAL CARTRINGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP;10) -CASF QUANTITY: 24- CONFINED SPACE; YES -FACEPIECE TEUS BILE -FEATURES: DUAL AIR LINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: HERMOPLASTIC	1 05	0						
DIMENSION: 27cmX 22cm x 15cm FIT: \$TANDARD SIZE, FITS \$TANDARD SIZE, FACE SHIELD: -24cm x 24cm WEIGHT: 280g SHELD THINKESS: 2mm FACE SHIELD: -TRANSPARENT FACE SHIELD: -TRANSPARENT STANDARD SAFETY SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 10: 1 - PAIR SHOES, AND CONDUCTIVE SHOES, AND TONDUCTIVE SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PIECKING SAFETY SHOES, ACID- PROOF SHOES, OLL- PROOF SHOES & OTHER SPECIAL SHOES. STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE CASE QUANTITY: 24								
22cm x 15cm FTT: STANDARD SIZE. FITS FROM 6 ½** TO 8** FACE SHIELD: -24cm x 24cm WEIGHT: 280g SHELD THISNESS: -2mm FACE SHIELD -TRANSPARENT PAIRS 9 STANDARD SAFETY SHOES W/STEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, ANSHLATED SHOES, ANTI SMASHING SHOES, ANTI SMASHING SAFETY SHOES, AUD. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, AND ANTI PIERCING SHOES, COLD. PROOF SHOES, SON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD. PROOF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP:10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPICE TYPE: HALF PACEPICE TYPE: HALF PACEPIC			700)					
22cm x 15cm FTT: STANDARD SIZE. FITS FROM 6 ½** TO 8** FACE SHIELD: -24cm x 24cm WEIGHT: 280g SHELD THISNESS: -2mm FACE SHIELD -TRANSPARENT PAIRS 9 STANDARD SAFETY SHOES W/STEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, ANSHLATED SHOES, ANTI SMASHING SHOES, ANTI SMASHING SAFETY SHOES, AUD. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, OIL. PROOF SHOES, AND ANTI PIERCING SHOES, COLD. PROOF SHOES, SON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD. PROOF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP:10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPICE TYPE: HALF PACEPICE TYPE: HALF PACEPIC			DIMENSION 27 X					
FIT: STANDARD SIZE, FITS FROM 6/8" TO 8" FACE SHIELD: -24cm x 24cm WEIGHT: 280g SHIELD THIKNESS: -2mm FACE SHIELD: -TRANSPARENT FAIRS 9 STANDARD SAFETY SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI PERCING SAFETY SHOES, ACID- PROOF SHOES, OND PROOF SHOES, OND SLP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, OND SUP SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES WATERPROFF SHOES & DEAL CARRIDGE (3M6200) - ASSIGNED PROTECTION FACTOR (APP.10 - CASE QUANTITY: 24- CONTINED SPACE: YES - FACEPIECE REUSABLE - FEATURES: DUAL ARILINE SUPPLIED AIR COMPATIBLE - HARNIESS TYPE: 4 POINT - MATERIAL: - HERMOPLASTIC								
FITS FROM 6 %" TO 8"								
FACE SHIELD:								
## October 1985 ## Oct								
WEIGHT: 280g SHIELD THIKNESS: -2mm FACE SHIELD: -TRANSPARENT PAIRS 9 STANDARD SAFETY SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, OIL- PROOF SHOES, OIL- PROOF SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES WATERPROFF SHOES & OTHER SPECIAL SHOES PCS 8 STANDARD FACE MASKHALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL ARKINES STYPE: 4 POINT -MATERIAL: -THERMOPLASTIC								
PAIRS 9 STANDARD SAFETY SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 7: 4 - PAIRS SIZE 8: AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI STATIC SHOES AND CONDUCTIVE SHOES, ANTI SHASHING SHOES, ANTI SHASHING SHOES, ANTI SHASHING SHOES, ANTI SHOES, ACID- PROOF SHOES, OLL- PROOF SHOES, OLL- PROOF SHOES, OLL- PROOF SHOES, ONN- SILP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YFS -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIE								
PAIRS 9 STANDARD SAFETY SHOES WYSTELL TOE								
PAIRS PAIRS PAIRS PAIRS PAIRS SIZE 9: 4 - PAIRS SIZE 7: 4 - P			SHIELD THIKNESS:					
PAIRS 9 STANDARD SAFETY SHOES W STEEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SHERING SHOES, ANTI PERCING SAFETY SHOES, OIL- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP): 10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE RUSABLE -FEATURES; DUAL ARILINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			-2mm					
PAIRS 9 STANDARD SAFETY SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, OIL- PROOF SHOES, ON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE: MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (APP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE FACEPIECE TYPE: T			FACE SHIELD:					
SHOES W/STEEL TOE SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, INSULATED SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, ON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP:)10 -CASE QUANTITY: 24- CONFINED SPACE: YES +FACEPIECE TYPE: HALF FACEPIECE FACEPIE			-TRANSPARENT					
SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, WATERPROOF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE RUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC	PAIRS	9	STANDARD SAFETY					
SIZE 9: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, WATERPROOF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE RUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			SHOES W/STEEL TOE					
SIZE 1: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI JERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, ONN- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
SIZE 1: 4 - PAIRS SIZE 10: 1 - PAIR *ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI JERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, ONN- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			SIZE 9: 4 - PAIRS					
*ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS **STANDARD FACE** MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
*ANTI STATIC SHOES AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP): 10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			SIZE 10. 1 -1 AIK					
AND CONDUCTIVE SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP): 10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			*ANTI STATIC SHOES					
SHOES, INSULATED SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
SHOES, ANTI SMASHING SHOES, ANTI PIERCING SAPETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE RUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
SHOES, ANTI PIERCING SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
SAFETY SHOES, ACID- PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
PROOF SHOES, OIL- PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
PROOF SHOES, NON- SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			The state of the s					
SLIP SHOES, AND ANTI PIERCING SHOES, COLD- PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
PIERCING SHOES, COLD-PROOF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24-CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
PROOF SHOES, WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			-					
WATERPROFF SHOES & OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
OTHER SPECIAL SHOES. PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
PCS 8 STANDARD FACE MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			WATERPROFF SHOES &					
MASK/HALF MASK DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE RUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
DUAL CARTRIDGE (3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC	PCS	8	STANDARD FACE					
(3M6200) -ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			MASK/HALF MASK					
-ASSIGNED PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			DUAL CARTRIDGE					
PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			(3M6200)					
PROTECTION FACTOR (AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
(AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			-ASSIGNED					
(AFP):10 -CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			PROTECTION FACTOR					
-CASE QUANTITY: 24- CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
CONFINED SPACE: YES -FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			, ,					
-FACEPIECE TYPE: HALF FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC			-					
FACEPIECE REUSABLE -FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
-FEATURES: DUAL AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
AIRLINE SUPPLIED AIR COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
COMPATIBLE -HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
-HARNESS TYPE: 4 POINT -MATERIAL: THERMOPLASTIC								
POINT -MATERIAL: THERMOPLASTIC								
-MATERIAL: THERMOPLASTIC								
THERMOPLASTIC								
ELASTOMER (TPE)								
			ELASTOMER (TPE)					

Resw07									
Price Validity:		eriod:			PhP				
Warranty		ichea phoio: Delivery Pe							
Ploasos	oo atta	ached photo:	₱ 76,000.00						
		ABC TYPE							
		(WHEEL MOUNTED)							
		FIRE EXTINGUISHER							
PCS	1	50 POUNDS DRY CHEM							
		CARTRIDGE							
		ORGANIC VAPOR							
		RESPIRATOR, 1x PAIR OF							
		1x HALF FACEPIECE							
		-PACKAGE INCLUDES:							
		*NUISANCE ODOR RELIEF (<osha a<="" n="" pel)="" th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></osha>							
		-LENGTH: 4.2IN							
		-HEIGHT (METRIC): 8.636							
		-HEIGHT: 3.4 in							
		ORGANIC VAPOR							
		PROTECTION TYPE:							
		-GAS & VAPOR							
		-CASE QUANTITY: 60							
		CARTRIDGE)							
		ORGANIC VAPOR							
		-SIZE: MEDIUM (3M 6001							
		-RANGE: GOOD							
		COLOR CODING BLACK							
		-NIOSH CARTRIDGE OR FILTER ASSIGNED							
		FACEPIECE							
		-PRODUCT TYPE: HALF							
		-PRODUCT SERIES: 6000							

Name and Signature

Printed Name/ Signature of the Supplier